

☑ CHECKLIST FOR ALL EMPLOYERS

Page 1 of 2

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all businesses choosing to operate in Texas. Employers may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Employers should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Employers should also be mindful of federal and state employment laws and workplace safety standards.

Health protocols for your employees: Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette. Screen employees before coming into the business: Send home any employee who has any of the following new or worsening signs or symptoms of possible COVID-19: - Cough Sore throat Shortness of breath or difficulty Loss of taste or smell breathing Diarrhea Chills Feeling feverish or a measured temperature Repeated shaking with chills greater than or equal to 100.0 degrees Muscle pain Fahrenheit Known close contact with a person who is lab Headache confirmed to have COVID-19 Do not allow employees with the new or worsening signs or symptoms listed above to return to work until: In the case of an employee who was diagnosed with COVID-19, the individual may return to

work when all three of the following criteria are met: at least 3 days (72 hours) have passed



ALL EMPLOYERS: Page 2 of 2

since recovery (resolution of fever without the use of fever-reducing medications); and the individual has improvement in respiratory symptoms (e.g., cough, shortness of breath); and at least 7 days have passed since symptoms first appeared; or

- In the case of an employee who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or
- If the employee has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional's note clearing the individual for return based on an alternative diagnosis.

		Do not allow an employee with known close contact to a person who is lab-confirmed to have COVID-19 to return to work until the end of the 14 day self-quarantine period from the last date of exposure (with an exception granted for healthcare workers and critical infrastructure workers).
	Have	employees wash or sanitize their hands upon entering the business.
	feasil	employees maintain at least 6 feet separation from other individuals. If such distancing is not ole, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and ation should be rigorously practiced.
		employer provides a meal for employees, employers are recommended to have the meal dually packed for each employee.
	wear	istent with the actions taken by many employers across the state, consider having all employees cloth face coverings (over the nose and mouth). If available, employees should consider wearing medical grade face masks.
Hea	lth p	rotocols for your facilities:
	_	larly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, s, and restrooms.
	Disin	fect any items that come into contact with customers.
		e hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to oyees and customers.
	Place	readily visible signage at the business to remind everyone of best hygiene practices.



☑ CHECKLIST FOR RESTAURANTS

Page 1 of 3

As outlined in Governor Abbott's executive order GA-18, restaurants may operate for dine-in service up to 25% of the total listed occupancy of the restaurant, and may not offer valet services except for vehicles with placards or plates for disabled parking. As used in executive order GA-18, this applies only to restaurants that are not required to post the 51% sign required by the Texas Alcoholic Beverage Commission. Restaurants may continue to provide to-go or delivery services.

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all restaurants choosing to operate in Texas. Restaurants may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Restaurants should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Restaurants should also be mindful of federal and state employment laws and workplace safety standards.

Health protocols for serving your customers:

		es maintain at least 6 feet distance apart from other parties at all times, including while waiting to eated in the restaurant.	
	Make a hand sanitizing station available upon entry to the restaurant.		
	No tables of more than 6 people.		
	Dining:		
		Do not leave condiments, silverware, flatware, glassware, or other traditional table top items on an unoccupied table	
		Provide condiments only upon request, and in single use (non-reusable) portions.	
		Use disposable menus (new for each patron)	
		If a buffet is offered, restaurant employees serve the food to customers.	
П	Cont	actless nayment is encouraged. Where not available, contact should be minimized	



RESTAURANTS: Page 2 of 3

неа	itn p	rotocols for your employees:			
	Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.				
	Screen employees before coming into the restaurant:				
		Send home any employee who has any of possible COVID-19:	the following new or worsening signs or symptoms of		
		 Cough Shortness of breath or difficulty breathing Chills Repeated shaking with chills Muscle pain Headache 	 Sore throat Loss of taste or smell Diarrhea Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit Known close contact with a person who is lab confirmed to have COVID-19 		
		 work until: In the case of an employee who was a work when all three of the following a since recovery (resolution of fever with 	worsening signs or symptoms listed above to return to diagnosed with COVID-19, the individual may return to criteria are met: at least 3 days (72 hours) have passed thout the use of fever-reducing medications); and the atory symptoms (e.g., cough, shortness of breath); and ptoms first appeared; or		
		evaluated by a medical professional of have COVID-19, and the individual ma completed the same three-step criter			
		completing the above self-isolation pe	ould be COVID-19 and wants to return to work before eriod, the individual must obtain a medical dual for return based on an alternative diagnosis.		
	Do not allow an employee with known close contact to a person who is lab-confictive COVID-19 to return to work until the end of the 14 day self-quarantine period from of exposure (with an exception granted for healthcare workers and critical infrast workers).			of the 14 day self-quarantine period from the last date	
	Have employees wash or sanitize their hands upon entering the restaurant, and between intera with customers.		oon entering the restaurant, and between interactions		



RESTAURANTS: Page 3 of 3

	Have employees maintain at least 6 feet separation from other individuals. If such distancing is not feasible, measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced Consistent with the actions taken by many restaurants across the state, consider having all employees wear cloth face coverings (over the nose and mouth). If available, employees should consider wearing non-medical grade face masks.
Hea	alth protocols for your facilities:
	Consider having an employee manage and control access to the restaurant, including opening doors to prevent patrons from touching door handles.
	Regularly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables and chairs.
	Regularly and frequently clean restrooms, and document the cleanings.
	Disinfect any items that come into contact with customers.
	Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to employees and customers.
	Place readily visible signage at the restaurant to remind everyone of best hygiene practices.
	Clean and disinfect the area used for dining (table, etc.) after each group of customers depart, including the disinfecting of tables, chairs, stalls, and countertops.
	Clean and sanitize restaurants daily.



☑ CHECKLIST FOR RETAILERS

Health protocols for serving your customers:

Page 1 of 3

As outlined in Governor Abbott's executive order GA-18, non-essential retailers may operate up to 25% of the total listed occupancy. In addition, non-essential retailers may operate through pickup, delivery by mail, or delivery to the customer's doorstep. Shopping malls may operate at up to 25% of the total listed occupancy of the shopping mall, but shopping mall food court dining areas, play areas, and interactive displays and settings must remain closed.

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all retailers choosing to operate in Texas. Retailers may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Retailers should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Retailers should also be mindful of federal and state employment laws and workplace safety standards.

Retailers are encouraged to consider dedicating a certain period of time each day for only at-risk
customers¹ or deliver purchased goods to vehicles to reduce the need for at-risk customers to ente

customers ¹ or deliver purchased goods to vehicles to reduce the need for at-risk customers to enter the store.
If practical, monitor what items customers touch to clean or disinfect when the customer leaves the retail establishment.
Contactless payment is encouraged. Where not available, contact should be minimized.

¹ At-risk customers are those who are 65 or older, especially those with chronic lung disease; moderate to severe asthma; chronic heart disease; severe obesity; diabetes; chronic kidney disease undergoing dialysis; liver disease; or weakened immune system



RETAILERS: Page 2 of 3

Hea	lth p	protocols for your retail employees:		
	Train all employees on appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette.			
	Screen employees before coming into the retailer:			
		Send home any employee who has any of the following new or worsening signs or symptoms of possible COVID-19:		
		CoughSore throat		
		 Shortness of breath or difficulty breathing Chills Repeated shaking with chills Muscle pain Headache Loss of taste or smell Diarrhea Feeling feverish or a measured temperature greater than or equal to 100.0 degrees Fahrenheit Known close contact with a person who is lab 		
		confirmed to have COVID-19		
		 Do not allow employees with the new or worsening signs or symptoms listed above to return to work until: In the case of an employee who was diagnosed with COVID-19, the individual may return to work when all three of the following criteria are met: at least 3 days (72 hours) have passed since recovery (resolution of fever without the use of fever-reducing medications); and the individual has improvement in respiratory symptoms (e.g., cough, shortness of breath); and at least 7 days have passed since symptoms first appeared; or In the case of an employee who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or If the employee has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional's note clearing the individual for return based on an alternative diagnosis. 		
		Do not allow an employee with known close contact to a person who is lab-confirmed to have COVID-19 to return to work until the end of the 14 day self-quarantine period from the last date of exposure (with an exception granted for healthcare workers and critical infrastructure workers).		
Ш	Have	Have employees wash or sanitize their hands upon entering the retailer.		



RETAILERS: Page 3 of 3

	Have employees maintain at least 6 feet separation from other individuals. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.
	If an employer provides a meal for employees, employers are recommended to have the meal individually packed for each employee.
	Consistent with the actions taken by many retailers across the state, consider having all employees wear cloth face coverings (over the nose and mouth). If available, employees should consider wearing non-medical grade face masks.
Hea	lth protocols for your retail facilities:
	Regularly and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, chairs, and restrooms.
	Disinfect any items that come into contact with customers.
	Make hand sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to employees and customers.
	Place readily visible signage at the retailer to remind everyone of best hygiene practices.



☑ CHECKLIST FOR SINGLE-PERSON OFFICES

Page 1 of 2

As outlined in Governor Abbott's executive order GA-18, services provided by an individual working alone in an office may operate.

In accordance with Governor Abbott's executive order GA-18, the following are the minimum recommended health protocols for all single-person offices. Employers may adopt additional protocols consistent with their specific needs and circumstances to help protect the health and safety of all employees and customers.

The virus that causes COVID-19 can be spread to others by infected persons who have few or no symptoms. Even if an infected person is only mildly ill, the people they spread it to may become seriously ill or even die, especially if that person is 65 or older with pre-existing health conditions that place them at higher risk. Because of the hidden nature of this threat, everyone should rigorously follow the practices specified in these protocols, all of which facilitate a safe and measured reopening of Texas. The virus that causes COVID-19 is still circulating in our communities. We should continue to observe practices that protect everyone, including those who are most vulnerable.

Please note, public health guidance cannot anticipate every unique situation. Businesses should stay informed and take actions based on common sense and wise judgment that will protect health and support economic revitalization. Businesses should also be mindful of federal and state employment laws and workplace safety standards.

Hea	Health protocols for single-person offices:			
	Be trained on all appropriate cleaning and disinfection, hand hygiene, and respiratory etiquette. Self-screen before coming into the office:			
		 Do not go into the office with new or wo Cough Shortness of breath or difficulty breathing Chills Repeated shaking with chills Muscle pain Headache 	- Sore throat - Loss of taste or smell - Diarrhea - Feeling feverish or a measured temperature greater than or equal to 100.0 degrees - Fahrenheit - Known close contact with a person who is lab confirmed to have COVID-19	
Do not allow employees with the new or worsening signs or symptoms list work until: In the case of an employee who was diagnosed with COVID-19, the in work when all three of the following criteria are met: at least 3 days since recovery (resolution of fever without the use of fever-reducing individual has improvement in respiratory symptoms (e.g., cough, sh		diagnosed with COVID-19, the individual may return to criteria are met: at least 3 days (72 hours) have passed ithout the use of fever-reducing medications); and the		

at least 7 days have passed since symptoms first appeared; or



SINGLE-PERSON OFFICES: Page 2 of 2

		_	In the case of an employee who has symptoms that could be COVID-19 and does not get evaluated by a medical professional or tested for COVID-19, the individual is assumed to have COVID-19, and the individual may not return to work until the individual has completed the same three-step criteria listed above; or		
		-	If the employee has symptoms that could be COVID-19 and wants to return to work before completing the above self-isolation period, the individual must obtain a medical professional's note clearing the individual for return based on an alternative diagnosis.		
		CO'	not allow an employee with known close contact to a person who is lab-confirmed to have VID-19 to return to work until the end of the 14 day self-quarantine period from the last date exposure (with an exception granted for healthcare workers and critical infrastructure rkers).		
	Wash or sanitize their hands upon entering the business.				
	Maintain at least 6 feet separation from other individuals. If such distancing is not feasible, other measures such as face covering, hand hygiene, cough etiquette, cleanliness, and sanitation should be rigorously practiced.				
	Consistent with the actions taken by many businesses across the state, consider wearing a cloth factoring (over the nose and mouth) upon entering the premises and when using common areas, including elevators, restrooms, break rooms, or stairs. If available, you should consider wearing no medical grade face masks.				
Hea	lth p	rot	ocols for your facilities:		
	_		and frequently clean and disinfect any regularly touched surfaces, such as doorknobs, tables, d restrooms.		
	Disin	fect	any items that come into contact with customers.		
			nd sanitizer, disinfecting wipes, soap and water, or similar disinfectant readily available to es and customers.		
	Place	rea	dily visible signage at the business to remind everyone of best hygiene practices.		